

## Plan B for key actions to rapidly reduce greenhouse gases and to strengthen resilience of the built environment<sup>1</sup>

Key industry and government leaders have hesitated too long to implement adequate long-term mitigation measures. Measures that have been implemented tend to be of the no-regrets and painless variety, but these are not sufficient to make the major and rapid reductions that are needed. In view of these factors, we believe that a Plan B for more rapid action is needed, and this short paper presents a number of proposals along these lines.<sup>2</sup>

Considering the long lag times in the climate system, a “business as usual” approach means that GHG reductions will probably *not* come rapidly enough to avoid severe climate change impacts and we therefore face a high probability that global temperature increases will be considerably more than the target 2°C adopted in the 2015 Paris Agreement. A recent study<sup>3</sup> states that ... *only three countries in Europe push in the right direction to deliver on the Paris climate agreement. Sweden tops the list, followed by Germany and France...* Considering that European countries are considered to be leaders in GHG reduction, this poor performance will lead to massive long-term disruption of agriculture, industry, living and working conditions, as outlined by IPCC AR5 and others.


Specific direct effects will vary by region, but are generally expected to include the following, as detailed in the IPCC Fifth Assessment Report:<sup>4</sup>

- Higher annual ambient temperatures, with high-latitude regions seeing the most change and, during summers, hotter summer days and warmer nights;
- A gradual but relentless sea level rise,
- An increased probability and intensity of windstorms, cyclones and hurricanes;
- Highly variable rates of precipitation resulting in droughts and/or periods of intense rain or snow;

Secondary impacts resulting from increasing global temperatures are likely to include higher death rates during heat waves, a greater use of electricity for mechanical cooling systems, aggravated water shortages due to increased evaporation, more forest fires and migration of harmful insects with associated diseases towards higher latitudes. Sea level rise combined with more and stronger storms will lead to severe coastal flooding from storm surges in many areas. Greater riverine flooding and landslide events may also be expected from intense precipitation events.

The combination of these problems, especially in coastal regions, will result in high levels of mortality and injury as well as property damage in vulnerable areas and some disruption of essential services. In developed countries, the financial costs may be very high.

According to a recent paper in Nature Climate Change<sup>5</sup>, ... *a leading integrated assessment model can be used to estimate the impact of twenty-first-century climate change on the present market value of global financial assets. We find that the expected ‘climate value at risk’ (climate VaR) of global financial assets today is 1.8% along a business-as-usual emissions path. Taking a representative estimate of global financial assets, this amounts to US\$2.5 trillion... Limiting warming to no more than 2 °C makes financial sense to risk-neutral investors—and even more so to the risk averse.*



<sup>1</sup> This paper is under continuous development. It was developed by Nils Larsson of iiSBE with substantial input from Gregor Herda (UN Habitat), Richard Lorch and Fionn Stevenson (UK), Stella Bezerra (Brazil), Teresa Coady, Jean Cinq-Mars, John Grace, Gary Martin and Mark Gorgolewski (Canada), Teresa Parejo-Navajas (Spain), Randa Mahmoud (Egypt), Daniel Charles (France), Ann Edminster (USA), Norman Gojberg (Chile) and Wynn Cam (Singapore).

<sup>2</sup> For more information contact <info@iisbe.org>

<sup>3</sup> [http://carbonmarketwatch.org/wp-content/uploads/2017/03/EU-Climate-Leader-Board-Where-countries-stand-on-the-Effort-Sharing-Regulation---Europe's-largest-climate-tool\\_final.pdf](http://carbonmarketwatch.org/wp-content/uploads/2017/03/EU-Climate-Leader-Board-Where-countries-stand-on-the-Effort-Sharing-Regulation---Europe's-largest-climate-tool_final.pdf)

<sup>4</sup> <https://www.ipcc.ch/report/ar5/syr>

<sup>5</sup> 'Climate value at risk' of global financial assets, in Nature Climate Change 6, 676-679, 04 April 2016

These factors may in turn result in a influxes of climate refugees and a need for large-scale and rapid re-housing in both originating and recipient locations (See appendix for a graphic representation of climate change effects and impacts).

Although a disturbing prospect, the only possibility for quick and effective action to minimize such developments will probably depend on a few major weather-related events that will cause major damage and loss of life within a short period of time in Washington, Hamburg, London, Shanghai or other symbolically important cities. In such cases, attention will become focused on climate change in a way that logic and science can never do.

Based on the history of catastrophic events, we can assume that the shock effect will open the minds of the public and decision-makers to radical measures, but only until a new catastrophe occurs. When faced with a real crisis, desperate leaders will grab whatever plans are available on the shelf, and the result is likely to be hasty, ad-hoc and poorly considered actions. In addition, certain characteristics of the building sector make rapid and concerted action unlikely, including differentiated building types and ownership, different levels of technical and economic capabilities in various regions and major cultural differences. Based on these factors, we can expect relatively sudden and extreme weather events to produce the following effects:

- In almost all cases we can expect a surge in demand for labor and materials to carry out urgent repairs, re-building and re-location needs. Manufacturers of building materials will be faced with urgent production requests but will face increased power costs and disrupted labor and plant conditions; and supply chains may be disrupted by transportation problems.
- These factors will, within weeks, deplete the supply of skilled workers and firms in the affected region and cause prices for materials and services to reach very high levels.
- Owners or managers of existing commercial buildings in urban areas will have to reduce operating hours to meet GHG reduction targets, and residential occupants will face mandatory energy cuts.
- Standards for good design and operations, such as adequate lighting levels, indoor comfort conditions, and work to preserve heritage buildings will fall by the wayside, at least temporarily.
- Social tensions will rise to very high levels when those who want to pursue their normal activities, such commercial development, are faced with permit refusals, if priority is given to those displaced by climate change and to households suffering from energy poverty.
- The need to deal with repair and remedial work may lead governments to say that they will have to defer more GHG mitigation measures until some future date.

In such conditions greenhouse gas emissions that drive climate change will continue unabated.

Given the likelihood of inaction to limit GHG emissions until extreme weather events make action imperative for even the most indifferent government, it is clear that we need a Plan B, including a set of measures that can be implemented very quickly when political conditions permit. This means that a framework for such actions must be prepared now, and we offer a set of ideas that may help to develop local agendas and priorities.

We suggest that the key points on the following pages should be considered as the basis of policies for some long-term measures and others that would be ready for immediate implementation. It should be noted that we do not include all issues that are relevant to sustainable construction, since the focus here is on actions needed for rapid GHG reductions and resilience of the built environment.

## Proposed generic actions

The generic measures that follow are generally based on conditions that are related to developed countries with mature economies and technologies. They also describe measures that assume leadership by national and/or large urban governments, but it must be recognized that complementary initiatives may also need to be launched within small urban areas, an approach that has been termed *co-producing neighbourhood resilience*\*. The argument for this approach is partly one of technical effectiveness and a need of popular support for tough measures. It also reflects the need to take into account the very different conditions in small urban areas and a concern that extreme conditions caused by climate change may cause social instability.

1. **Educate:** Launch public and professional education programs to provide an understanding of regional effects of climate change, and to promote the need for conservation in energy, water and materials, for students, investors, building operators, office tenants and residential owners or tenants.

2. **Train:** Establish intensive regional training programs for regulators, renovation contractors, simulation specialists and others who are key to the upgrading of performance in new and existing buildings.
3. **Explain the programs:** Enlist professionals and non-government organizations to help explain the need for this set of key actions to local politicians and business leaders.
4. **Reduce carbon emissions:** Introduce policy measures to radically and rapidly cap and reduce carbon emissions linked to the built environment.  
Possible measures include carbon taxes, cap and trade or personal allowances. Such measures have the added benefit of reducing air pollution. Examples of successful approaches can be found in Tokyo and British Columbia.<sup>6</sup>
5. **Reduce locational risks:** Prohibit new construction in areas with a high risk of flooding or fire.
6. **Conserve land:** In developed countries, except for cases of replacement, impose a freeze on new construction and supporting infrastructure in un-serviced or low-density areas.  
There is a need to preserve undeveloped land for agriculture and/or ecological or recreational areas, and to maximize efficiency of land that is actually developed.
7. **Encourage urban agriculture:** The availability of small and localized plots of land for urban agriculture will become of increasing importance as the use of trucks and private vehicles is discouraged in urban areas.
8. **Support urban infill and mixed use:** Establish urban infill programs and promote mixed-use development to make better use of urban land and to support the viability of local public transport .
9. **Limit embodied energy and emissions:** Support adoption of environmental product declarations and require estimates of embodied emissions for heavy construction materials in major projects.  
Systems such as high-performance windows, external shading devices or added insulation or thermal mass, all require an investment of added embodied energy and emissions compared to conventional systems, but can all improve operating performance. Such trade-offs are often overlooked.
10. **Assess performance and track key indicators:** Ensure that performance assessments for major projects take into account possible future climate change impacts that may affect the safety, function or performance of the subject buildings and of its surrounding areas.
11. **Monitor performance and maintain data:** Establish performance monitoring systems and public databases within urban areas to provide building operators and local communities with annual feedback for action on energy, water and occupancy performance.  
Such databases should provide comparisons of subject buildings with the performance of reference buildings of the same type. The EVALOC project in the UK provides a good model for participatory evaluations in six small urban areas that are moving towards low-carbon status.<sup>7</sup>
12. **Clean energy:** Minimize reliance on fossil fuels for electricity generation, upgrade power grids to accommodate renewable input sources, accelerate the introduction of decentralized renewable power sources, and ensure that feed-in tariff policies do not distort energy markets.  
Coal and heavy oils are especially problematic because of low efficiencies and high emissions.
13. **Limit peak electrical demand:** Rapidly reduce peak loads in electrical networks through rate structures to meet demand and to ensure that existing generating facilities are efficiently used.  
Peak demand by electrical equipment in industrial facilities can be moderated by means of changes in industrial processes, rate structures, limits on operating hours, load ceilings or other relevant means. Space cooling systems in retail and commercial facilities operate for a small number of hours per year, but at times of maximum peak demand, and this demand may be reduced by limitation of operating hours, use of electrical or thermal storage systems and/or renewable power sources.

<sup>6</sup> The Tokyo Cap-and-Trade Program (TCTP), implemented in 2010, is an important measure to accelerate the building sector's emission reduction to achieve Tokyo's greenhouse gas target, 25% reduction by 2020 from a year 2000 baseline level. *Data indicate that TCTP has been effective in reducing energy consumption in participating facilities to meet ... emission reduction goals, to introduce new technologies, and to raise awareness and drive behavioural changes for energy demand reduction.*

See Nishida, Hua and Okamoto in *Building Research & Information*, 44-5/6

See also See Murray and Rivers (2015) 'British Columbia's Revenue- Neutral Carbon Tax- A Review of the Latest "Grand Experiment in Environmental Policy

<sup>7</sup> The program ran from 2011-15 and was sponsored by the UK Department of Climate Change. See [www.evaloc.org.uk](http://www.evaloc.org.uk).

14. **Appliance and equipment efficiencies:** Prohibit the sale of appliances and equipment that do not meet high operating efficiency criteria.<sup>8</sup>
15. **Protect critical infrastructure:** Ensure that facilities and services of critical importance, such as hospitals, public transportation systems, food supplies, water and sewage treatment and pumping systems, can remain functional at a basic level of performance under extreme conditions.
- Such measures may be needed if there is an influx of people from other areas displaced by climate change. In regions with moderate climate, open space may be designated for temporary housing, if there is access to adequate support services.
16. **Prepare to house relocated populations:** Identify empty dwellings that may be useful for relocated populations and identify hotels, office buildings, schools and other public-use buildings that may be suitable for rapid conversion to residential uses. Such measures may be needed if there is an influx of people from other areas displaced by climate change.
17. **Deep green renovation:** Where substantial performance gains are possible in a large number of residential and non-residential buildings, establish major programs for deep green renovation that result in nearly-zero operating emissions, better hot weather performance, reduced peak electrical loads and water consumption.
- Minimum renovation rates of 5% per year of floor space in OECD regions, and 3% per year in other regions have been suggested by *Climate Action Tracker*.<sup>9</sup> Obviously, these global values would need adjustment for sub-regional or national variations in the suitability of existing building archetypes for deep green renovations, the availability of appropriate equipment and of skilled workers.
18. **Ensure very high performance of new buildings:** For new construction that is permitted, limit embodied emissions, require nearly zero operating GHG emissions, limit peak electrical loads and water consumption.
- These are the core performance areas. A complete list of key performance areas would include \*
- Site Regeneration and Development, Urban Design and Infrastructure
  - Energy and Resource Consumption
  - Environmental Loadings
  - Indoor Environmental Quality
  - Service Quality
  - Social, Cultural and Perceptual Aspects
  - Cost and Economic Aspects
19. **Vernacular building:** Where climatic, cultural and technological conditions are appropriate, encourage vernacular residential building design and construction techniques, where such approaches result in reduced GHG emissions.
20. **Limit speculative price increases:** Introduce measures to control speculation in real estate that results in large numbers of under-utilized or empty dwellings, and minimize short-term speculative increases in labour rates and costs of construction materials under extreme conditions.
- Under emergency conditions, free-market speculation can lead to material shortages and an inability to carry out urgent repair and upgrade projects.

## Conclusions

The set of measures proposed above has been developed considering a relative lack of action in the face of the impending existential threat of climate change. Some readers may find our proposed approach to be excessively pessimistic, but it should be noted that many of the provisions outlined here are logical and can be implemented with no regrets, even if we have not yet reached the state of extreme weather events that would make them inevitable and urgent.

*iiSBE,*

*31 March 2017*

<sup>8</sup> e.g. A+++ label in Europe. See also <http://www.superefficient.org>

<sup>9</sup> See <http://climateactiontracker.org>

# Appendix 1: Predicted climate change impacts on the built environment

from IPCC AR4 (2007), AR5 (2014) and other sources

From IPCC AR4 and AR5		Primary and secondary impacts on urban areas and buildings	
Global effects	Examples of major projected impacts	Possible direct effects on urban areas, people and buildings	Secondary effects
IPCC AR5, SYR overview: In urban area climate change is projected to increase risks for people, assets, economies and ecosystems, including risks from heat stress, storms and extreme precipitation, inland and coastal flooding, landslides, air pollution, drought, water scarcity, sea level rise and storm surges (5). These risks are amplified for those lacking essential infrastructure and services or living in exposed areas.			
It is virtually certain that there will be more frequent hot and fewer cold temperature extremes over most land areas on daily and seasonal timescales (1) It is very likely that heat waves will occur with a higher frequency and longer duration. (2)	Reduction in quality of life for those people in warm areas without appropriate housing; impacts on the elderly, very young and poor.	Reduced hydro or nuclear generation because of reduced flow rates and increased water temperatures.	Intermittent or reduced and more expensive power supply.
		Summer overheating in housing and buildings with poor hot-weather performance and no space cooling, leads to illness or mortality and greater demand for retrofit and space cooling.	Emergency building retrofits to improve hot weather performance. More space cooling installations leads to more pressure on power supply, greater GHG emissions and smog formation.
Warmer and fewer cold days and nights over most land areas (1)	Reduced energy demand for heating; increased demand for cooling, declining air quality in cities	Growth of harmful insect populations, such as termites, mosquitos.	Damage to wooden structures from termites, health problems from insects.
		Melting permafrost in extreme North causes soil instability and release of Methane.	Repair, rebuilding, population relocation needed.
		Reduced space heating requirements in winter.	Reduced energy consumption and emissions
Warmer and more frequent hot days and nights over most land areas (1)		Increased urban heat island effect lead to higher ambient temperatures.	Negative health effects from heat stress and smog formation.
		Reduced feasibility of night cooling	Increased peak power demand from fossil-based power generation plants, with high GHG emissions.
		Increased building space cooling requirements.	
Area affected by droughts increases (3)	Water shortages ... reduced hydro generation, potential for population migration.	Water shortages because of reduced supplies and drought conditions.	Prohibition of new construction in areas with insufficient renewable water resources.
		Reduced hydro or nuclear generation because of reduced flow rates and increased water temperatures.	Intermittent or reduced and more expensive power supply.
Intense tropical cyclone activity increases (3)	Disruption by flood and high winds, loss of insurance, population migration, loss of property.	Damage to infrastructure and buildings by storm events.	Temporary shelters Emergency repairs
		Relocation of large populations after storm events	Higher requirements for construction quality and durability. Prohibition of new construction in vulnerable areas, such as coastal areas.
Increased incidence of extreme high sea level, excluding tsunamis (3)	Costs of coastal protection v. relocation, loss of insurance, population migration, loss of property.	Relocation of large populations over the long term	Increased pressure on developable land; pressure also on land valuable for agricultural or ecological purposes.
		Temporary shelters Greenfield infrastructure, housing and other building construction	Very high capital expenditures, high GHG emissions from materials production and construction.